

Chapter 12

Clovis across the Continent

D. Shane Miller¹, Vance T. Holliday², and Jordon Bright³

ABSTRACT

Clovis is the most geographically expansive archaeological culture in North America. Its spatial and temporal extent is truly remarkable and consequently raises a number of questions. In this paper, we focus on Clovis typology and chronology, especially how it relates to definitions of “Clovis as artifact type” versus “Clovis as colonizing behavior.” We derive our definition of “Classic Clovis” from sites located on the Great Plains (e.g., the Clovis type site along Blackwater Draw, New Mexico; Miami, Texas; Dent, Colorado), and the group of mammoth kills in the southwestern U.S. (e.g., Naco, Lehner, Murray Springs). These sites, and a handful of other dated sites with Clovis technology, fall within ~13.4k–12.7k cal yr BP (11,600–10,800 ¹⁴C yr BP). We conclude by describing the range of variation in the context of the sites that are most frequently used to define Clovis technology in North America. These include fluted points associated with remains of extinct fauna, Clovis points associated with radiocarbon-dated deposits, buried deposits with distinctive Clovis technology, surface sites with Clovis technology, dated sites without Classic Clovis artifacts, and surface sites with Clovis technology.

KEYWORDS: Typology, Chronology, Geoarchaeological Context, Classic Clovis, Western Stemmed, Western Fluted, Northeastern Fluted

Introduction

Clovis is the oldest archaeologically visible, well-defined, and relatively homogeneous archaeological culture in North America. It is also the most geographically extensive occupation of any time in the archaeological record of the Americas and it is often defined as being present in every state in the lower 48. While this assertion is not well supported, as discussed below, Clovis or Clovis-like artifacts have been reported coast to coast and from the Canadian border into northern Mexico (Collins 1999:35; Haynes 1964; Haynes 2002:xi–1; Meltzer 2009:241; Anderson et al. 2010; Bradley et al. 2010:1–177).

Further, radiocarbon dating, also discussed below, shows that most of unglaciated North America was occupied by ~13,000 cal yr BP.

The geographic extent of Clovis is truly remarkable, and consequently raises a number of questions. How are Clovis occupations identified on a coast-to-coast basis? Most commonly this has been accomplished by looking at Clovis lithic technology with a heavy emphasis on projectile points. But how do the artifact styles vary across the continent? Do all artifacts considered to be Clovis or related to Clovis have the same age range? The answer requires solid numerical age control across the continent. Further, there is evidence for Clovis-age assemblages that do not look like Clovis (e.g., Western Stemmed) (e.g., Beck and Jones 2010; Jenkins et al. 2012). What is their relationship to Clovis?

This paper is an attempt to address issues of Clovis chronology, technology, and typology. These questions combine to focus on the question of “what is Clovis?” That question and, perhaps more importantly, “what is not Clovis?” has

¹School of Anthropology, University of Arizona, Tucson, AZ 85721.

²School of Anthropology & Department of Geosciences, University of Arizona, Tucson, AZ 85721.

³Department of Geosciences, University of Arizona, Tucson, AZ 85721.

Corresponding author e-mail: 2vthollid@email.arizona.edu

been an issue almost since “Clovis” was recognized as a typologically distinct entity. Continuing fieldwork and technological analyses are shedding light on these questions, and we provide a brief analysis. Clovis chronology is also an evolving question, to a certain degree linked to the issue of “what is Clovis?” but a more objective issue to resolve. Different approaches to the issue and different interpretations, however, have resulted in a debate over a “short chronology” versus a “long chronology,” which we outline and to which we contribute our own views.

What Is Clovis?

Finds of Clovis points at the Clovis type site (Blackwater Draw Locality 1; Figure 12.1A) and a handful of other sites, resulted in recognition of a “Clovis type” that is based for the most part on large, parallel-sided lanceolate bifaces with slightly concave bases, and single or multiple flutes that rarely extend more than a third of the body (Figure 12.1A) (Howard 1990; Justice 1995:17–21; Sellards 1952). Overshot flaking is also common as a reduction technique in order to produce relatively thin finished pieces. Bifaces meeting these criteria have been reported in almost every state in North America (Anderson et al. 2010). Secondary hallmarks of Clovis lithic technology include the presence of biface caches (Kilby 2008) and prismatic blades (Collins 1999). Moreover, Bradley et al. (2010) provide a highly detailed and exhaustive discussion of even more distinctive characteristics of Clovis lithic and bone technology.

In addition to their typological consistency and spatial breadth, there are least 14 sites with solid associations of remains from extinct proboscidean and artifacts, including Clovis points (Grayson and Meltzer 2002, 2003; Surovell and Waguespack 2008). This has provided the foundation for various colonization models of the peopling of the North America that include a sudden appearance of Clovis via rapid ex-

pansion out of the Ice Free-Corridor with extraordinarily high rates of residential mobility fueled by the predation of large mammalian species that subsequently became extinct (e.g., Haynes 1969, 2006; Kelly and Todd 1988; Mosimann and Martin 1975). Thus, “Clovis as artifact type” was neatly packaged with “Clovis as colonizing behavior.”

However, this view is problematic for several reasons. There are multiple widely accepted pre-Clovis sites, most notably Monte Verde in Chile (Dillehay 1997), Hebior in Wisconsin (Overstreet 2006; Overstreet and Kolb 2003); the Debra L. Friedken site in Texas (Waters et al. 2011b), and Paisley Cave in Oregon (Gilbert et al. 2008; Jenkins et al. 2012). While these sites are not without their critiques (Fiedel 1999, 2013; Morrow et al. 2012; Poinar et al. 2009), they nonetheless leave open the possibility that even if Clovis does represent some kind of colonizing population, they may not have been the first. Moreover, since the temporal range of Clovis spans at the very least several centuries, it therefore encompassed multiple generations within this timespan. Consequently, it is likely that the majority of the Clovis archaeological record reflects the descendants of the first colonists, and not the first wave of individuals, if they were in fact a colonizing population.

The geographic origins and extent of Clovis are very unclear. So far, the oldest Clovis sites and the best candidates for Clovis precursors are at the Aubrey and Gault/Friedkin sites on the Southern Plains in Texas (Ferring 2001, 2012; Waters et al. 2011b) and possibly the Johnson site in central Tennessee (Barker and Broster 1996), essentially at the opposite end of the continent from Beringia and the Ice-Free Corridor where Clovis was stereotypically seen as starting (Hamilton and Buchanan 2007). The age range for Clovis also remains debatable. As discussed below, the dating issue revolves around a long chronology versus a short chronology. The answer has important implications for colonization. A shorter, more compressed chronology suggests either a very




Figure 12.1 A, two of the “type” Clovis points from the Clovis type site (Blackwater Draw #1); B, NF points from the Debert site. All images are from the C. Vance Haynes Cast Collection at the University of Arizona (by Randy Haas).

rapid expansion across the continent or extremely high birth rates (Surovell 2000; Anderson and Gillam 2000; Hamilton and Buchanan 2007; Mosimann and Martin 1975; Barton et al. 2004; Steele et al. 1998).

Further, the original, broadly defined Clovis “style” or type may or may not have some regional variants. The term “Gainey” has been used to refer to the earliest fluted points in the lower Great Lakes region. The basis for distinguishing Gainey from Clovis is poorly articulated, however. Morrow (in press) sees subtle differences in the flaking technology between Clovis and Gainey. Eren and Desjardine (in press), in contrast, argue that

- 1) the broader assemblage (Clovis-like fluted points, large prismatic blades, and overshot flaking) is clearly indicative of Clovis, and
- 2) the term “Gainey” should be dropped.

Artifacts similar in style to Clovis are not necessarily the same age everywhere across the continent, nor do they necessarily represent the earliest recognizable archaeological presence in some regions.

In eastern and western North America, fluted points similar to Clovis appear to overlap Clovis in time (discussed below) and to have subtle but clear and consistent differences in morphology and technology. In the northeastern United States and far southeastern Canada, Clovis-like bifaces vary slightly in their morphology in that they have significantly deeper basal concavities (Figures 12.1B, 12.2) and overshot flaking is less prevalent (Speiss 1998; Ellis and Deller 1988; Miller and Gingerich 2013; Morrow and Morrow 1999). Similar to Clovis, these points are frequently recovered great distances from their raw-material sources (Goodyear 1989; Meltzer 1988). However, the people who manufactured these points appeared to focus on caribou and did not produce Clovis-style prismatic blades (Bradley et al. 2010; Ellis et al. 2011), although the differences between Clovis and other groups that made fluted points are often difficult to differentiate (Eren and Desjardine, in press). These Northeastern early fluted points (NF) appear to represent a late colonization of the recently deglaciated landscape.

Fluted points are relatively common across the Great Basin (“Western Fluted” or WF; “Great Basin Fluted” of Grayson 2011:289–92). These artifacts superficially resemble Clovis, but strong arguments have been made that technologically and morphologically these artifacts are distinct from the classic Clovis bifaces of the Great Plains and southwestern United States (Grayson 2011; Beck and Jones 2007, 2010, 2012b). Compared with Clovis, WF styles are shorter, thinner, and, like NF, have deeper basal concavities relative to their basal widths. There is considerable overlap between these variables, but this should be expected if one style derived from another. At least one well-documented Clovis site is present in the region: Dietz, in the northwest Great Basin (Jenkins 2007:78; Pinson 2008, 2011). Some relation between WF and Clovis is likely, given overlap in morphological metrics (Pinson 2011; Beck and Jones 2010, 2012b), and the pres-

ence of Clovis around the Great Basin, to the southeast in Arizona and Sonora (Holliday in press; Haynes and Huckell 2007; Sanchez and Carpenter 2012), and to the north at the Richey Roberts (Gramly 1993; Mehringer and Foit 1990), Simon (Butler 1963; Kohntopp 2010), and Anzick (Morrow and Fiedel 2006) sites, and northeast at Colby (Frison and Todd 1986). In the Great Basin, “Western Stemmed” points appear to overlap the temporal span for Clovis (Beck and Jones 2010; Jenkins et al. 2012) (discussed below) although the dating is debated (Beck and Jones 2012a; Fiedel and Morrow 2012). The WF style may represent technological and typological “drift” from Classic Clovis. Further, Clovis, as a precursor to WF, may well represent a colonizing population, but other groups using a different approach to projectile-point design (e.g., Western Stemmed) may have been colonizing other areas of North America at roughly the same time.

At this time, it is hard to defend Clovis as reflected by the archaeological record as a neatly bundled artifact type and behavior. Not all people wielding Clovis points may have been “acting Clovis” in the sense of rapidly expanding colonists in an unpopulated landscape. Conversely, people may have been “acting Clovis” without the Clovis points, an example of which may be the groups producing Western Stemmed points in the Great Basin or later groups producing Clovis-like fluted points in the northeastern United States and eastern Canada, and in the Great Basin. We view “Clovis” as an artifact type in a strict sense. “Classic Clovis” refers to the artifacts and sites with artifacts that conform in morphology and technology found at the classic sites located on the Great Plains sites (e.g., the Clovis type site along Blackwater Draw, New Mexico; Miami, Texas; Dent, Colorado) (Table 12.2, Figure 12.1A), and the group of mammoth kills in the southwestern U.S. (e.g., Naco, Lehner, Murray Springs) (Table 12.2) (following Bradley et al. 2010).

Numerical Age Control for Clovis

Numerical dating of Clovis archaeology has been a concern to archaeologists and geoarchaeologists since the early days of the radiocarbon method in the 1950s, which coincided with the confirmation by Sellards (1952) that the Clovis component at the Clovis type site (Blackwater Draw Locality 1) was older than the Folsom component (Holliday 1997, 2000). The first reliable radiocarbon ages for Clovis artifacts were published in 1964 and came from three sites: Dent, Colorado, and the Clovis type site, New Mexico, both on the Great Plains; and Lehner, in the San Pedro Valley of southern Arizona (see Holliday 2000, and references therein for further historical context and dating specifics). Through the 1960s and 1970s, the dating for Clovis on the Great Plains, based on just a few sites (Clovis, Dent, Domebo, and Colby), suggested an age range of 11,500–11,000 ^{14}C yr BP (Haynes 1970, 1971, 1980).

Continued systematic attempts to refine the Clovis chronology by C. V. Haynes tightened and slightly shifted the age range to 11,200–10,900 ^{14}C yr BP (Haynes 1992, 1993). However, radiocarbon ages from the Aubrey site suggest that Clovis on the Southern Plains is as old as 11,600 ^{14}C yr BP (Ferring 2001, 2012). Plotting radiocarbon ages by region further sug-

gests some regional variation in the age of Clovis occupations: 11,600–11,000 ^{14}C yr BP on the southern Great Plains and 11,200–10,900 ^{14}C Yr BP on the northern Great Plains (Holiday 2000). Dates on Clovis from the Southwest (the San Pedro Valley sites in Arizona) and from the Northwest (Anzick in Montana) tend toward the younger end of the Clovis age range (Figure 12.4), providing support for the hypothesis, noted above, that Clovis entered the Great Basin and Far West via the Southwest and the northern tier of northwest states.




Figure 12.2 Comparison of basal concavity indices showing that Classic Clovis points have relatively shallow basal concavity depth compared with Bull Brook, Vail, and Debert NF points. The index for Classic Clovis points was calculated from points from Blackwater Draw, Leikem, Escapule, Naco, Lehner, Murray Springs, Domebo, and Dent.

Waters and Stafford (2007) proposed a further tightened age range for Clovis, arguing that it was no more than 11,050 to 10,800 ^{14}C yr BP, based strictly on AMS dating of culturally specific organic matter (bone, ivory, seeds), which led to their rejecting the Aubrey dates. As argued by G. Haynes et al. (2007), however,

- 1) the age range is based on sites that happen to yield a particular suite of suitable materials, and
- 2) AMS dates on other materials and many conventional dates, such as the older dates from Aubrey, are still valid.

Ferring (2012) makes a strong case for the direct association of his radiocarbon samples with the Clovis occupation at Aubrey. The dating there is particularly significant because it is the oldest secure Clovis radiocarbon age on the continent (contra Waters and Stafford 2007). Ferring (2012) further argues that the Clovis assemblage at Aubrey might better be characterized as “proto-Clovis,” representing the final stages of an in situ (i.e., native North American) development of what would become “classic Clovis” lithic technology. This issue is also raised for the Friedkin site (Waters et al. 2011b), where a long predecessor to Clovis appears to be stratigraphically below Clovis. The issue is muddled, however, by the very large standard deviations (at or near 1000 years) for all the Paleoindian dates (Figure 12.4), which were determined

by OSL. Using the radiocarbon data from Waters and Stafford (2007) plus the dating at Aubrey, we use $\sim 13.4\text{k}$ – 12.7k cal yr BP (11,600–10,800 ^{14}C yr BP) as the age range of Clovis. However, we readily admit that the corpus of dates available to address this issue is likely too small to produce a range with any statistical significance (Prasciunas 2008:69–106) and is subject to a wide variety of biases (e.g., Williams 2012; Ballenger and Mabry 2011; Surovell et al. 2009).

The more limited radiocarbon record for NF, WF, and Western Stemmed provides some clues to the origin and evolution of those types relative to Clovis. The NF style overlapped with late Classic Clovis and lasted until $\sim 11.9\text{k}$ cal yr BP ($\sim 10,200$ ^{14}C yr BP) (Figures 12.2, 12.3) (Miller and Gingerich 2013a,b). As noted above, Beck and Jones (2007, 2009) argue that WF evolved from and is thus younger than Classic Clovis. The only date bearing on WF is from the Sunshine Locality, indicating an age of $> 10,320$ ^{14}C yr BP (Beck and Jones 2009). The radiocarbon record for Western Stemmed is clearer (Figure 12.5). Four sites provide numerical age control, suggesting that WS is as old as or older than Clovis. Cooper’s Ferry, Idaho, produced a range of dates from $\sim 12,020$ to ~ 7300 ^{14}C yr BP (Figure 12.5) on several different materials in association with WS artifacts (Davis and Schweger 2004). The investigators argue that the most likely date is $\sim 11,370$ ^{14}C yr BP (although Fiedel and Morrow, 2012, argue that the younger dates are better age estimates). At Paisley Caves, Oregon, WS artifacts are in the same strata as twigs dated from $\sim 11,815$ to $\sim 11,070$ ^{14}C yr BP and human coprolites dated to $\sim 11,340$ and $\sim 11,205$ ^{14}C yr BP (Jenkins et al. 2012) (Figure 12.5). Smith Creek Cave, Nevada, produced WS artifacts in association with seven radiocarbon dates that range from $\sim 11,140$ to $\sim 10,570$ ^{14}C yr BP (Beck and Jones 2010) (Figure 12.5). Connelly Cave, also in Oregon, yielded two radiocarbon samples in association with WS materials, dating $\sim 11,140$ and $\sim 10,600$ ^{14}C yr BP (Figure 12.5) and shows that Classic Clovis and early Western Stemmed were contemporaneous (Pinson 2011; Beck and Jones 2010, 2012a,b). Western Stemmed might even precede Classic Clovis (Jenkins et al. 2012).

G. Haynes (2002:1) in his book on Clovis, states that

these artifacts were manufactured by widely separated prehistoric people at almost the same time throughout North America. . . . The fluted points from Nova Scotia are much the same as those from California.

Others see more significant geographic variation. For example, in their study of Clovis technology, Bradley et al. (2010:177–78) argue that

we see some areas in North America where there are Clovis-like points but where the rest of the technological package is either lacking or there is insufficient information (specifically in the Northeast and southern California).

We essentially agree with their view, but see more distinct spatial variability that also has a significant temporal component. There appear to be at least four general categories of projectile-point styles across North America related to Clovis




Figure 12.3 The proposed age ranges for Classic Clovis (dark gray shade is the short chronology, light gray plus dark gray is the long chronology), and the summed probability distributions for radiocarbon dates from published dates for fluted-point sites in northeastern North America. See Table 20.1 for references to the dating.

in either space or time or both: Classic Clovis, Northeastern Fluted, Great Basin Fluted, and Western Stemmed. In the following section, we focus primarily on the range of variation in the context of the sites that are most frequently used to define Clovis technology in North America.

The Context of “Classic Clovis”

As a point of departure, we use the list of Clovis sites that Bradley et al. (2010) use as a baseline for describing typical Clovis material culture and what we refer to as “Classic Clovis.” The context of these sites is highly variable, and we argue that most Clovis sites can be placed into five categories (Table 12.2):

- 1) fluted-point sites associated with extinct fauna;
- 2) sites with Clovis points associated with radiocarbon dates;
- 3) buried deposits with distinctive Clovis technology;
- 4) dated sites without Classic Clovis artifacts; and
- 5) surface sites with Clovis technology.

Fluted Points Associated with Extinct Fauna (Table 12.2)

The stereotypical view of Clovis as mammoth hunters evolved with a series of spectacular discoveries from the 1930s through the 1950s. Dent, Colorado, and Miami, Texas, yielded mammoth with artifacts we now call Clovis, but at the time they were considered variants of Folsom. Work at the Clovis type site (a.k.a. Blackwater Draw Locality 1) through the 1930s and in the late 1940s and early 1950s produced similar finds, but also provided evidence for the chronologic and typologic distinction between Clovis and Folsom, thereby giving the name “Clovis” to the larger fluted projectile point style repeatedly found among the mammoth bone. Immedi-

ately thereafter, the Naco and Lehner sites in southeastern Arizona were discovered, excavated, and reported, followed by the Domebo Clovis mammoth site in Oklahoma. Classic Clovis artifacts were also found in association with mastodon at Kimmswick, Missouri (Graham et al. 1981), and with ex-

Table 12.1 Radiocarbon dates from Northeast fluted sites.

Site	Date ¹	Error	n	Reference
Hiscock, NY	10,847	45	2	Laub 2002:108; Gingerich 2007:155
Vail, ME	10,710	50	1	Haynes et al. 1984; Gingerich 2007:155; Gramly 1982
Debert, NS	10,591	33	31	MacDonald 1985; Gingerich 2007:156
Bull Brook, MA	10,395	43	2	Robinson et al. 2009
Arc, NY	10,374	107	2	Tankersley et al. 1997; Gingerich 2007:155
Whipple, NH	10,261	231	2	Curran 1996; Gingerich 2007:155; Haynes et al. 1984
Colebrook, NH	10,226	48	2	Kitchel & Bosivert 2011; Gingerich 2007:156
Templeton, CT	10,213	87	2	McWeeney 1994; Moeller 1980; Gingerich 2007:156
Neponset, MA	10,210	60	1	Curran 1996; Gingerich 2007:156
Michaud, ME	10,200	620	1	Spieß and Wilson 1987; Gingerich 2007:156

¹ The dates are reported in radiocarbon years, ¹⁴C yr BP. For sites or components with multiple radiocarbon dates, we average the dates using the “R Combine” function in OxCal 4.1 (Bronk Ramsey 2009). Multiple dates from a site with secure contexts were averaged for brevity in this table. Refer to the reference for a full list of dates.




Figure 12.4 Boxplot of calibrated radiocarbon ages for key Clovis and other Paleo-Indian sites (modified from Meltzer and Holliday, 2010, figure 3, table 2). Calibration was done using CALIB 5.0.1. Symbols show calibrated midpoint (open box) and 1 standard deviation (vertical bars), ordered by decreasing calendar age. OSL dates for Gault and Friedkin sites are from Waters et al. (2011a,b). The shaded area represents the Younger Dryas Chronozone.

tinct bison at Murray Springs (Haynes and Huckell 2007) and Jake Bluff, Oklahoma (Bement and Carter 2010), and possibly extinct horse at Wally’s Beach, Alberta (Kooyman et al. 2006).

While many other sites have been proposed to represent direct evidence of human predation on megafauna, Grayson and Meltzer (2002) argue that there are only 14 instances that stand up to critical evaluation. Eleven of those sites yielded Clovis points directly associated with megafauna.¹ These sites

provide the typological baseline for describing Clovis-type projectile points, but are limited in terms of defining Clovis lifeways beyond the hunting of large mammals.

Clovis Points associated with Radiocarbon-Dated Deposits (Table 12.2)

In addition to the 14 sites associated with megafauna, other sites have been found that have Clovis-age deposits. These

include locations that appear to be campsites, such as Aubrey (Ferring 2001), Cactus Hill (McAvoy and McAvoy 1997; McAvoy et al. 2000), Paleo Crossing (Brose 1994), and Shawnee-Minisink (Gingerich 2007, 2011), or caches, such as Anzick (Morrow and Fiedel 2006). While these sites clearly play a role in the debate over a long vs. short chronology for Clovis (e.g., Waters and Stafford 2007 vs. Haynes et al. 2007), they are also instrumental in providing information on the nature of Clovis assemblages beyond megafaunal kill sites. Moreover, because of the presence of Clovis points and reliable radiocarbon dates, these assemblages can be securely associated with the primary kill sites from which the Clovis type was first described.

Buried Deposits with Distinctive Clovis Technology (Table 12.2)

In other locations, information on Clovis material culture has been more fully outlined based on the presence of buried deposits containing Clovis points. Unlike sites in the

previous section, these sites often rely on the presence of fluted points matching the Clovis type description as the basis for determining the age of the deposits. These include several sites associated with quarries, such as Gault (Collins 2007; Waters et al., 2011), Topper (Goodyear and Steffy 2003; Smallwood et al. 2013), Carson-Conn-Short (Broster and Norton 1993, 1996), and Thunderbird (Gardner 1983; Carr et al 2013). However, at both Gault and Topper, because radiocarbon-datable material is not available, OSL dates were obtained, which helps to establish their age, albeit with much less precision than radiocarbon dating. Despite some ambiguity in establishing their age, these quarry sites, and in a few instances what appear to be associated habitation areas, have been extraordinarily valuable in providing information on a much broader range of tool forms present in Clovis assemblages, and have also provided manufacturing debris that gives insight into how Clovis assemblages were produced.

Table 12.2 Key archaeological sites used to define Classic Clovis (modified and updated from Bradley et al. 2010, Table 1.1).

Site	Comments	References	Site	Comments	References
Fluted points associated with extinct fauna			Pavo Real, TX		Collins et al. 2003
Dent, CO	Clovis with mammoth	Brunswig 2007	Richey-Roberts, WA (East Wenatchee)	Clovis cache	Mehring & Foit 1990 Gramly 1993
Miami, TX	Clovis with mammoth	Sellards 1938	Simon, ID	Clovis cache	Butler, 1963 Kohntopp 2010
Clovis (Blackwater Draw), NM	Clovis artifacts associated with 6 mammoth kills	Hester 1972 Boldurian & Cotter 1999 Haynes & Warnica 2012	Carson-Conn-Short, TN		Broster & Norton 1996 Broster et al 2013
Naco, AZ	Clovis with mammoth	Haury et al 1953	Topper, SC		Miller 2010 Smallwood et al. 2013
Lehner, AZ	Clovis with mammoth	Haury et al. 1959 Haynes 1982	Big Pine, SC		Goodyear 1999
Murray Springs, AZ	Clovis mammoth kill, Clovis bison kill, and associated camp	Haynes & Huckell 2007	Widemeier, TN		Broster et al. 2006
Domebo, OK	Clovis with mammoth	Leonhardy 1966	Kevin Davis, TX	Clovis blade cache	Collins 1999
Kimmswick, MO	Clovis with mastodon	Graham et al. 1981	Hogeye, TX		Jennings 2012
Colby, WY	Clovis with 6 or 7 mammoth	Frison & Todd 1986	Sheaman, WY	Large blades and extensive debitage	Frison & Stanford 1982 Prasciunas 2013
Lange-Ferguson, SD	Clovis with mammoth	Hannus 1990	Thunderbird, VA		Gardner 1974, 1983 Carr et al 2013
Jake Bluff, OK	Clovis with bison	Bement & Carter 2010	Dated sites without Classic Clovis artifacts		
Clovis points associated with radiocarbon dated deposits.			Lubbock Lake, TX		Johnson 1987
Aubrey, TX	Multiple Clovis occupation loci	Ferring 2001	Wilson-Leonard, TX		Collins 1998
Paleo-Crossing, OH		Brose 1994	Pleasant Lake, MI	Butchered mastodon	Fisher 1984a,b
Sheridan Cave, OH		Tankersley 1997 Redmond & Tankersley 2005 Waters et al. 2009	Sloth Hole, FL		Hemmings 1999
Anzick, MT	Clovis artifacts associated with burial	Wilke et al 1991 Morrow & Fiedel 2006	Surface sites with Clovis technology		
Cactus Hill, VA		Wagner & McAvoy 2004	Mockingbird Gap, NM		Hamilton et al 2013
Fifty, VA		Gardner 1974, 1983 Carr et al 2013	El Bajio, Sonora	Clovis quarry and scattered occupations	Sanchez and Carpenter 2010, 2012
Shawnee-Minisink, PA		McNett 1985 Gingerich, 2011, 2013b	Dietz, OR		Willig 1988 Pinson 2011
Buried deposits with distinctive Clovis technology			Wells Creek Crater		Tune 2013
Gault, TX	Stratified Clovis occupation levels	Waters et al. 2011a	McFaddin Beach, TX	Artifacts washed onshore	Stright et al. 1999
			Plenge, NJ		Kraft 1973, 1977 Gingerich 2013a




Figure 12.5 Boxplot of calibrated radiocarbon ages for key Clovis and Western Stemmed Tradition sites in the central and western United States. Radiocarbon dates were calibrated using CALIB 6.0 (<http://calib.qub.ac.uk/calib/>). Symbols designate the midpoint of the calibrated age range. Error bars denote the entire calibrated age range. Dashed lines between Western Stemmed Tradition symbols represent the best range of ages provided in the literature. Clovis dates (black and gray squares) are from Meltzer and Holliday (2010; table 2). Western Stemmed Tradition dates (black squares) are from Chatters et al. (2012), Smith and Kielhofer (2011), Beck and Jones (2010), Rhode et al. (2005), and Willig (1989).

Dated Sites without Classic Clovis Artifacts (Table 12.2)

There are several sites where Clovis-age radiocarbon dates have been derived, yet do not have Clovis-type bifaces present. At Sloth Hole, Florida, an ivory point was directly dated (Hemmings 2004, 2005). This artifact and others found at the site are similar to those found at other Clovis sites. Consequently, a case can be made that even though Clovis points were not found directly associated with the deposits, the presence of similar bone and ivory technology indicates that Clovis technology was present. In other instances, such as Lubbock Lake, Texas, Arlington Springs Woman in the Channel Islands off of the California Coast, and Bonneville Estates in Nevada, Clovis-age dates are present, but no diagnostic artifacts consistent with “Classic Clovis” were recovered. As a result, these sites are instrumental in documenting where people were on the landscape during the Clovis time slice; however, the people at these locations may not have necessarily been producing, using, and discarding artifacts we equate with Clovis material culture.

Surface Sites with Clovis Technology (Table 12.2)

In a number of cases, researchers have relied on surface sites that contain artifacts consistent with Clovis technology identified at other locations. The reliance on these types of sites is most prevalent in the southeastern United States, where sites containing buried Clovis-age deposits are very rare (Goodyear 1999). For example, the Adams site in Kentucky and the Williamson site in Virginia (Sanders 1990) appear to be lithic workshops that contain almost entirely Clovis assemblages. In other instances, sites such as the Quad Locality in northern Alabama (Soday 1954) and Wells Creek Crater in Tennessee (Dragoo 1965, 1973; Tune 2013) have produced Clovis bifaces, but also abundant artifacts from subsequent time periods. While the utilization of surface Clovis sites for analysis is most prevalent in the eastern United States, they are also utilized elsewhere in North America. For example, the Mockingbird Gap site is primarily composed of surface or shallowly buried deposits, but appears to be a pure Clovis assemblage that is the largest of its kind in the southwestern United States (Holliday et al. 2009; Hamilton et al. 2013). El Bajio in northern Sonora, Mexico, is an extensive scatter of habitation loci and at least one quarry/workshop, all producing a wide range of Classic Clovis tools (Sanchez and Carpenter 2012).

Conclusions

Clovis artifact assemblages have been recognized across much of North America, largely based on recognition of Clovis projectile points in the assemblages. Variation in point styles and in other aspects of the broader lithic assemblage of Clovis has long been recognized, however, raising the question of “What is Clovis?” and how is a Clovis point or a Clovis site defined? In this paper, we outlined what we regard as a “Classic Clovis” style base on dated, in situ Clovis finds at classic mammoth kills from the Great Plains and Southwest during 1930s to the 1970s.

Two principal variants of Clovis are recognized based on technological characteristics and, to some extent, dating. Northeastern Fluted points are generally similar to Clovis but have a deep basal concavity. This style of artifact is distributed roughly parallel to the southeast Laurentide Ice front, extending from New York to the Maritime Provinces of Canada. It may have evolved from Classic Clovis as foragers moved into the freshly deglaciated landscape of the northeast. The age range is ~12.7k cal yr BP (~10,850 ¹⁴C yr BP) (overlapping very late Classic Clovis) to ~11.9k cal yr BP (~10,200 ¹⁴C yr BP). Western Fluted is a Western variant of Clovis most common in the Great Basin. It shares technological traits with Classic Clovis, but also varies in morphology. Age control is very poor, but like NF it probably evolved from and is younger than Classic Clovis.

Western Stemmed, another early Paleoindian style from the western U.S., has long been recognized as overlapping with late Classic Clovis. It may have been contemporaneous with Classic Clovis and perhaps has origins farther back in time.

Geographically, Classic Clovis artifacts are found throughout central North America south of the Ice-Free Corridor and east of the Rocky Mountains, in the mid-south and southeast U.S., and across the Southwest, but south and southeast of the Colorado Plateau down into northwest Mexico. There is also a narrow belt of Clovis finds across the northwestern U.S., from Wyoming to Washington. We define the age range of Classic Clovis as likely occurring from ~13.4k to ~12.7k cal yr BP (11,600 to 10,800 ¹⁴C yr BP), although we acknowledge the difficulty in assessing this range with a handful of dated sites spread across an entire continent. Finally, we argue that not all Clovis sites are created equal, and outline the variety of contexts from which we derive our understanding of “What is Clovis?”

End Note

¹Lubbock Lake and Pleasant Lake did not produce Clovis artifacts in direct association with megafauna; Hebior is a pre-Clovis site.

Acknowledgments

We thank Kelly Graf, Ted Goebel, and Mike Waters for organizing the Paleoamerican Odyssey Symposium and for inviting us to contribute this paper to the resulting volume. Kelly was especially helpful and encouraging (read “task master”). This research represents part of the continuing work of the Argonaut Archaeological Research Fund (to VTH, UA Foundation), established by the late Joe Cramer and Ruth Cramer. Metin Eren, Don Grayson, Joe Gingerich and Ashley Smallwood were especially helpful in the preparation of the manuscript. Jim Abbott prepared most of the drawings. Randy Haas prepared the artifact photos in Figure 12.1.

References Cited

Anderson, D. G., and J. C. Gillam 2000 Paleoindian colonization of the Americas: Implications from an examination of physiography, demography, and artifact distribution. *American Antiquity* 65:43–66.

- Anderson, D. G., D. S. Miller, S. J. Yerka, J. C. Gillam, E. N. Johanson, D. T. Anderson, A. C. Goodyear, and A. M. Smallwood 2010 PIDBA (Paleoindian Database of the Americas) 2010: Current status and findings. *Archaeology of Eastern North America* 38:63–90.
- Ballenger, J. A. M., and J. B. Mabry 2011 Temporal frequency distributions of alluvium in the American Southwest: Taphonomic, paleohydraulic, and demographic implications. *Journal of Archaeological Science* 38:1314–25.
- Barker, G., and J. B. Broster 1996 The Johnson site (40Dv400): A dated Paleoindian and early Archaic occupation in Tennessee's Central Basin. *Journal of Alabama Archaeology* 42: 97–153.
- Barton, C. M., S. Schmich, and S. R. James 2004 The ecology of human colonization in pristine landscapes. In *The Settlement of the American Continents: A Multidisciplinary Approach to Human Biogeography*, edited by C. M. Barton, G. A. Clark, D. R. Yesner, and G. A. Pearson, pp. 138–61. University of Arizona Press, Tucson.
- Beck, C., and G. T. Jones 2007 Early Paleoarchaic point morphology and chronology. In *Paleoindian or Paleoarchaic? Great Basin Human Ecology at the Pleistocene-Holocene Transition*, edited by K. E. Graf and D. Schmitt, pp. 32–41. University of Utah Press, Salt Lake City.
- 2009 *The Archaeology of the Eastern Nevada and Paleoarchaic, Part 1: The Sunshine Locality*. University of Utah Anthropological Papers 126.
- 2010 Clovis and Western Stemmed: Population migration and the meeting of two technologies in the Intermountain West. *American Antiquity* 75:81–116.
- 2012a Clovis and Western Stemmed again: Reply to Fiedel and Morrow. *American Antiquity* 77:386–97.
- 2012b The Clovis-last hypothesis: Investigating early lithic technology in the Intermountain West. In *Meetings at the Margins: Prehistoric Cultural Interactions in the Intermountain West*, edited by D. Rhode, pp.23–46. University of Utah Press, Salt Lake City.
- Bement, L., and B. Carter 2010 Jake Bluff: Clovis bison hunting on the Southern Plains of North America. *American Antiquity* 75:907–34.
- Björk, S. 2007 Younger Dryas oscillation. In *Encyclopedia of Quaternary Science*, edited by S. A. Elias, pp.1985–93. Elsevier, New York.
- Björk, S., M. J. C. Walker, L. C. Cwynar, S. Johnsen, K.-L. Knudsen, J. J. Lowe, B. Wolfarth, and INTIMATE Members 1998 An event stratigraphy for the Last Termination in the North Atlantic region based on the Greenland ice-core record: A proposal by the INTIMATE group. *Journal of Quaternary Science* 13:283–92.
- Boldurian, A., and J. Cotter 1999 *Clovis Revisited: New Perspectives on Paleoindian Adaptations from Blackwater Draw, New Mexico*. University Museum, Philadelphia.
- Bradley, B. A., M. B. Collins, and A. Hemmings 2010 *Clovis Technology*. International Monographs in Prehistory, Archaeological Series 17.
- Bronk R. C. 2009 Bayesian analysis of radiocarbon dates. *Radiocarbon* 51:337–60.
- Brose, D. S. 1994 Archaeological investigation at the Paleo Crossing Site, A Paleoindian occupation in Medina County, Ohio. In *The First Discovery of America: Archaeological Evidence of the Early Inhabitants of the Ohio Area*, edited by W. S. Dancy, pp. 61–76. Ohio Archaeological Council, Columbus.
- Broster, J. B., and M. R. Norton 1993 The Carson-Conn-Short Site (40BN190): An extensive Clovis habitation in Benton County, Tennessee. *Current Research in the Pleistocene* 10:3–5.
- 1996 Recent Paleoindian research in Tennessee. In *The Paleoindian and Early Archaic Southeast*, edited by D. G. Anderson and K. E. Sassaman, pp. 288–97. University of Alabama Press, Tuscaloosa.
- Broster, J. B., M. R. Norton, B. Hulan, and E. Durham 2006 Paleoamerican and Early Archaic occupations of the Widemeier site (40Dv9), Davidson County, Tennessee. *Current Research in the Pleistocene* 25:64–65.
- Broster, J. B., M. R. Norton, D. S. Miller, J. W. Tune, and J. Baker 2013 Tennessee's Paleoindian record: The Cumberland and Lower Tennessee River watersheds. In *In Eastern Fluted Point Tradition*, edited by J. A. M. Gingerich, pp. 299–314. University of Utah Press, Salt Lake City.
- Brunswick, R. 2007 New interpretations of the Dent Mammoth site: A synthesis of recent multidisciplinary evidence. In *Frontiers in Colorado Paleoindian Archaeology: From the Dent Site to the Rocky Mountains*, edited by R. Brunswick and B. Pitblado, pp. 87–121. University Press of Colorado, Boulder.
- Butler, B. R. 1963 An Early Man site at Big Camas Prairie, south-central Idaho. *Tebiwa* 6:22–23.
- Carr, K. W., M. Stewart, D. Stanford, and M. Frank 2013b The Flint Run Complex: A quarry-related Paleoindian complex in the Great Valley of northern Virginia. In *The Eastern Fluted Point Tradition*, edited by J. A. M. Gingerich, pp. 156–217. University of Utah Press, Salt Lake City.
- Chatters, J. C., S. Hackenberger, A. M. Prentiss, and J. L. Thomas 2012 The Paleoindian to Archaic transition in the Pacific Northwest. In *From the Pleistocene to the Holocene: human Organization and Cultural Transformations in Prehistoric North America*, edited by C. B. Bousman and B. Vierra, pp 37–65. Texas A&M University Press, College Station.
- Collins, M. B., editor 1998 *Wilson-Leonard: An 11,000-year Archeological Record of Hunter-Gatherers in Central Texas; Volume I: Introduction, Background, and Synthesis*. Report 10. Austin: Texas Department of Transportation, Environmental Affairs Division, Archeology Studies Program.
- Collins, M. B. 1999 *Clovis Blade Technology*. University of Texas Press, Austin.
- 2007 Discerning Clovis subsistence from stone artifacts and site distributions on the Southern Plains periphery. In *Foragers of the Terminal Pleistocene in North America*, edited by R. B. Walker and B. N. Driskell, pp. 59–87. University of Nebraska Press, Lincoln.
- Collins, M. B., D. B. Hudler, and S. L. Black 2003 *Pavo Real (41BX52): A Paleoindian and Archaic Camp and Work-shop on the Balcones Escarpment, South-central Texas*. Studies in Archeology 41. Austin: Texas Archeological Research Laboratory, The University of Texas at Austin.
- Curran, M. L. 1996 Paleoindians in the Northeast: The problem of dating fluted point sites. *The Review of Archaeology* 17:2–11.
- Davis, L. G., and C. E. Schweger 2004 Geoarchaeological context of Late Pleistocene and early Holocene occupation at the Cooper's Ferry site, western Idaho, USA. *Geoarchaeology* 19:685–704.
- Dillehay, T. D. 1989 *Monte Verde: A Late Pleistocene Settlement in Chile, Volume 1: Palaeoenvironment and Site Context*. Smithsonian Institution Press, Washington, D.C.
- 1997 *Monte Verde: A Late Pleistocene Settlement in Chile, Volume 2: The Archaeological Context and Interpretation*. Smithsonian Institution Press, Washington, D.C.
- Driskell, B. N., S. C. Meeks, and S. C. Sherwood 2012 The transition from Paleoindian to Archaic in the middle Tennessee Valley. In

From the Pleistocene to the Holocene: Human Organization and Cultural Transformations in Prehistoric North America, edited by C. B. Bousman and B. J. Vierra, pp. 253–71. Texas A&M University Press, College Station.

Dragoo, D. W. 1965 Investigations at a Paleo-Indian site in Stewart County, Tennessee. *Eastern States Archeological Federation Bulletin* 24:12–13.

——— 1973 Wells Creek: An early man site in Stewart County, TN. *Archaeology of Eastern North America* 1:1–56.

Ellis, C. J., and D. B. Deller 1988 Some distinctive Paleo-Indian tool types from the lower Great Lakes Region. *Midcontinental Journal of Archaeology* 13:111–58.

Ellis, C. J., D. H. Carr and T. J. Loebel 2011 The Younger Dryas and late Pleistocene peoples of the Great Lakes Region. *Quaternary International* 242:534–45.

Eren, M. I., and A. Desjardine in press Flaked stone tools of Pleistocene colonizers: Overshot flaking at the Red Wing site, Ontario. In *Clovis: Current Perspectives on Chronology, Technology, and Adaptations*, edited by T. Jennings and A. Smallwood. Texas A&M University Press, College Station.

Ferring, C. R. 2001 *The Archaeology and Paleocology of the Aubrey Clovis Site (41DN479) Denton County, Texas*. Center for Environmental Archaeology, Department of Geography, University of North Texas, Denton.

——— 2012 The “long” Clovis chronology: Evidence from the Aubrey and Friedkin sites, Texas. Paper presented at the 77th Annual Meeting of the Society for American Archaeology, Memphis, Tennessee.

Fiedel, S. J. 1999 Older than we thought: Implications of corrected dates for Paleoindians. *American Antiquity* 64:95–116.

——— 2013 Is that all there is? The weak case for pre-Clovis occupation of eastern North America. In *In The Eastern Fluted Point Tradition*, edited by J. A. M. Gingerich, pp. 333–54. University of Utah Press, Salt Lake City.

Fiedel, S. J., J. E. Morrow 2012 Comment on “Clovis and Western Stemmed: Population migration and the meeting of two technologies in the Intermountain West” by C. Beck and G. T. Jones. *American Antiquity* 77:376–85.

Fisher, D. C. 1984a Mastodon butchery by North American Paleo-Indians. *Nature* 271–72.

——— 1984b Taphonomic analysis of late Pleistocene mastodon occurrences: Evidence of butchery by North American Paleo-Indians. *Paleobiology* 10:338–57.

Frison, G. C., and D. J. Stanford, editors 1982 *The Agate Basin Site: A Record of the Paleoindian Occupation of the Northwestern High Plains*. Academic Press, New York.

Frison, G. C., and L. Todd 1986 *The Colby Mammoth Site: Taphonomy and Archaeology of a Clovis kill in Northern Wyoming*. University of New Mexico Press, Albuquerque.

Gardner, W. M., editor 1974 *The Flint Run Paleo-Indian Complex: A Preliminary Report*. Occasional Publication No. 1, Archaeology Laboratory, Catholic University.

Gardner, W. M. 1983 Stop me if you’ve heard this one before: the Flint Run Paleoindian complex revisited. *Archaeology of Eastern North America* 11:49–64.

Gilbert, M. T. P, D. L. Jenkins, A. Götherstrom, N. Naveran, J. J. Sanchez, M. Hofreiter, P. F. Thomsen, J. Binladen, T. F. G. Higham, R.

M. Yohe II, R. Parr, L. S. Cummings, E. Willerslev 2008 DNA from pre-Clovis human coprolites in Oregon, North America. *Science* 320:786–89

Gingerich, J. A. M. 2007 Shawnee-Minisink Revisited: New Excavations of the Paleoindian Level. Unpublished M.A. Thesis, University of Wyoming, Laramie.

——— 2011 Down to seeds and stones: A new look at the subsistence remains from Shawnee-Minisink. *American Antiquity* 76:127–44.

——— 2013a Fifty years of discovery at Plenge: Rethinking the importance of New Jersey’s largest Paleoindian site. In *In The Eastern Fluted Point Tradition*, edited by J. A. M. Gingerich, pp. 75–103. University of Utah Press, Salt Lake City.

——— 2013b Revisiting Shawnee-Minisink. In *The Eastern Fluted Point Tradition*, edited by J. A. M. Gingerich, pp. 218–58. University of Utah Press, Salt Lake City.

Goodyear, A. C. 1989 A hypothesis for the use of crypto-crystalline raw materials among Paleoindian groups of North America. In *Eastern Paleoindian Lithic Resource Use*, edited by C. Ellis and J. Lothrop, pp. 1–10. Westview, Boulder.

——— 1999 The Early Holocene occupation of the southeastern United States: A geoarchaeological summary. In *Ice Age Peoples of North America*, edited by R. Bonnicksen and K. L. Turnmire, pp. 432–481. Oregon State University Press, Corvallis.

Goodyear, A. C., and K. Steffy 2003 Evidence of a Clovis occupation at the Topper Site, 38AL23, Allendale County, South Carolina. *Current Research in the Pleistocene* 20:23–25.

Graham, R. W., C. V. Haynes Jr., D. L. Johnson, and M. Kay 1981 Kimmswick: A Clovis-Mastodon association in eastern Missouri. *Science* 213:1115–17.

Gramly, R. M. 1982 *The Vail Site: A Palaeo-Indian Encampment in Maine*. Bulletin of the Buffalo Society of Natural Sciences 30. Buffalo, New York.

——— 1993 *The Richey Clovis Cache: Earliest Americans Along the Columbia River*. Persimmon Press, New York.

——— 1998 *The Sugarloaf Site: Palaeo-Americans on the Connecticut River*. Persimmon Press, New York.

——— 1999 *The Lamb Site: A Pioneering Clovis Encampment*. Persimmon Press, New York.

——— 2009 *Palaeo-Americans and Palaeo-Environment at the Vail Site, Maine*. Persimmon Press, North Andover, Massachusetts.

Grayson, D. K. 2011 *The Great Basin: A Natural Prehistory*, University of California Press, Berkeley.

Grayson, D. K., and D. J. Meltzer 2002 Clovis hunting and large mammal extinction: A critical review of the evidence. *Journal of World Prehistory* 16:313–59.

——— 2003 A requiem for North American Pleistocene overkill. *Journal of Archaeological Science* 30:585–93

Hamilton, M. J., and B. Buchanan 2007 Spatial gradients in Clovis-age radiocarbon dates across North America suggest rapid colonization from the north. *Proceedings of the National Academy of Sciences* 78:248–65.

Hamilton, M. J., Briggs Buchanan, Bruce B. Huckell, Vance T. Holliday 2013 Clovis paleoecology and lithic technology in the Central Rio Grande Rift Region, New Mexico. *American Antiquity* 78:248–65.

Hannus, L. A. 1990 The Lange-Ferguson site: A case for mammoth bone butchering tools. In *Megafauna and Man: Discovery of America’s Heartland*, edited by L. D. Agenbroad, J. I. Mead, and L. W.

- Nelson, pp. 86–99. Scientific Papers 1. The Mammoth Site of Hot Springs, South Dakota, Inc., Hot Springs.
- Haury, E. W., E. Antevs, J. F. Lance 1953 Artifacts with mammoth remains, Naco, Arizona: Discovery of the Naco mammoth and the associated projectile points. *American Antiquity* 19:1–14.
- Haury, E. W., E. B. Sayles, and W. W. Wasley 1959 The Lehner Mammoth site, southeastern Arizona. *American Antiquity* 25:2–32.
- Haynes, C. V., Jr. 1964 Fluted projectile points: Their age and dispersion. *Science* 145:1408–13.
- 1969 The earliest Americans. *Science* 166:709–15.
- 1970 Geochronology of man-mammoth sites and their bearing on the origin of the Llano Complex. In *Pleistocene and Recent Environments of the Central Great Plains*, edited by W. Dort and J. K. Jones, pp. 77–92. University Press of Kansas, Lawrence.
- 1971 Time, environment, and early man. *Arctic Anthropology* 8:3–14.
- 1980 The Clovis culture. *Canadian Journal of Anthropology* 1:115–21.
- 1992 Contributions of radiocarbon dating to the geochronology of the peopling of the New World. In *Radiocarbon After Four Decades: An Interdisciplinary Perspective*, edited by R. E. Taylor, A. Long, and R. S. Kra, pp. 355–74. Springer-Verlag, New York.
- 1993 Clovis-Folsom geochronology and climatic change. In *From Kostenki to Clovis: Upper Paleolithic–Paleo-Indian Adaptations*, edited by O. Soffer and N. D. Praslov, pp. 219–36. New York: Plenum Press.
- 2006 Clovis progenitors: From Swan Point, Alaska, to Anzick site, Montana, in less than a decade? In *Space and Spatial Analysis in Archaeology*, edited by E. C. Robertson, C. Robertson, J. D. Seibert, D. C. Fernandez, and M. U. Zender, pp. 253–67. University of Calgary Press.
- Haynes, C. V., Jr., and B. B. Huckell, editors 2007 *Murray Springs: A Clovis Site with Multiple Activity Areas in the San Pedro Valley, Arizona*. Anthropology Papers of the University of Arizona, No. 71. University of Arizona Press, Tucson.
- Haynes, C. V., Jr., and J. M. Warnica 2013 *Geology, Archaeology and Climate Change in Blackwater Draw, New Mexico: F. Earl Green and the Geoaerchaeology of the Clovis Type Site*. Eastern New Mexico University, Contributions in Anthropology 14, Portales.
- Haynes, C. V., Jr., J. Donahue, A. J. T. Jull, and T. H. Zabel 1984 Application of accelerator dating to fluted point Paleoindian sites. *Archaeology of Eastern North America* 12:184–91.
- Haynes, G. 2002 *The Early Settlement of North America: The Clovis Era*. Cambridge University Press, New York.
- Haynes, G. D., G. Anderson, C. R. Ferring, S. J. Fiedel, D. K. Grayson, C. V. Haynes, Jr., V. T. Holliday, B. B. Huckell, M. Kornfeld, D. J. Meltzer, J. Morrow, T. Surovell, N. M. Waguespack, P. Wigand, and R. M. Yohe II 2007 Comment on “Redefining the age of Clovis: Implications for the peopling of the Americas” *Science* 317:320.
- Hemmings, C. A. 1999 The Paleoindian and early Archaic tools of Sloth Hole (8JE121): An inundated site in the lower Aucilla River, Jefferson County, Florida. Unpublished Master’s Thesis, University of Florida, Gainesville.
- 2004 The organic Clovis: A single continent-wide adaptation. Unpublished Ph.D. Dissertation, University of Florida, Gainesville.
- 2005 An update on recent work at Sloth Hole (8JE121), Aucilla River, Jefferson County, Florida. *Current Research in the Pleistocene* 22:47–48.
- Hester, J. J. 1972 Blackwater Locality No. 1: A stratified Early Man site in eastern New Mexico, Taos, NM: Publication of the Fort Burgwin Research Center 8.
- Holliday, V. T. 1997 *Paleoindian Geoaerchaeology of the Southern High Plains*. Austin, Texas: University of Texas Press, Austin, 297 pp.
- 2000 The evolution of Paleoindian geochronology and typology on the Great Plains. *Geoarchaeology* 15:227–90.
- in press Clovis in the Southwest. In *Clovis: Current Perspectives on Chronology, Technology, and Adaptations*, edited by T. Jennings and A. Smallwood. Texas A&M University Press, College Station.
- Holliday, V. T., B. B. Huckell, M. Hamilton, R. H. Weber, W. T. Reitze, and J. H. Mayer 2009 Geoaerchaeology of the Mockingbird Gap (Clovis) site, Jornada del Muerto, New Mexico. *Geoarchaeology* 24:348–70.
- Howard, C. D. 1990 The Clovis point: Characteristics and type description. *Plains Anthropologist* 35:255–62.
- Huckleberry, G., C. Beck, G. T. Jones, A. Holmes, M. Cannon, S. Livingston, and J. M. Broughton 2001 Terminal Pleistocene/Early Holocene environmental change at the Sunshine Locality, north-central Nevada, U.S.A. *Quaternary Research* 55:303–12.
- Jenkins, D. L. 2007 Distribution and dating of cultural and paleontological remains at the Paisley Five Mile Point Caves in the northern Great Basin: An early assessment. In *Paleoindian or Paleoarchaic? Great Basin Human Ecology at the Pleistocene-Holocene Transition*, edited by K. E. Graf and D. N. Schmitt, pp. 57–81. University of Utah Press, Salt Lake City.
- Jenkins, D. L., L. G. Davis, T. W. Stafford Jr., P. F. Campos, B. Hockett, G. T. Jones, L. Scott Cummings, C. Yost, T. J. Connolly, R. M. Yohe II, S. C. Gibbons, M. Raghavan, M. Rasmussen, J. L. A. Pajmans, M. Hofreiter, B. M. Kemp, J. L. Barta, C. Monroe, M. T. P. Gilbert, and E. Willerslev 2012 Clovis-age Western Stemmed projectile points and human coprolites at the Paisley Caves. *Science* 337:223–28. [DOI:10.1126/science.1218443]
- Jennings, T. A. 2013 The Hogeve Clovis cache, Texas: Quantifying lithic reduction signatures. *Journal of Archaeological Science* 40:649–58.
- Johnson, E., editor 1987 *Lubbock Lake: Late Quaternary Studies on the Southern High Plains*. Texas A&M University Press.
- Justice, N. 1995 *Stone Age Spear and Arrow Points of the Midcontinental and Eastern United States: A Modern Survey and Reference*. Indiana University Press Bloomington.
- Kelly, R. L., and L. C. Todd 1988 Coming into the country: Early Paleoindian hunting and mobility. *American Antiquity* 53:231–44.
- Kilby, J. D. 2008 *An Investigation of Clovis Caches: Content, Function, and Technological Organization*. Unpublished Ph.D. dissertation, University of New Mexico, Albuquerque.
- Kitchell, N. R., and R. A. Boisvert 2011 New radiocarbon date from the Colebrook Paleoindian site. *New Hampshire Archaeological Society Newsletter* 27(1):3.
- Kohntopp, S. W. 2010 *The Simon Clovis cache: One of the oldest archaeological sites in Idaho*. Center for the Study of the First Americans, Texas A&M University, College Station.
- Kooyman, B., L. V. Hills, P. McNeil, and S. Tolman 2006 Late Pleistocene horse hunting at the Wally’s Beach site (DhPg-8), Canada. *American Antiquity* 71:101–21.

- Kraft, H. C. 1973 The Plenge site: A Paleo-Indian occupation site in New Jersey. *Archaeology of Eastern North America* 1:56–117.
- 1977 Paleoindians in New Jersey. In *Amerinds and Their Paleoenvironments in the Northeastern North America*, edited by W. S. Newman and B. Salwen, p. 264–81. *Annals of the New York Academy of Sciences* 288.
- Laub, R. S. 2002 The Paleoindian presence in the northeast: A view from the Hiscock site. In *Ice Age People of Pennsylvania*, edited by K. W. Carr and J. M. Adovasio, pp. 105–21. Pennsylvania Historical and Museum Commission.
- Laub, R. S., editor 2003 *The Hiscock Site: Late Pleistocene and Holocene Paleoecology and Archaeology of Western New York State*. New York State Museum Bulletin 481. Buffalo, New York.
- Laub, R. S., Mary F. DeRemer, Catherine A. Dufort, and W. L. Parsons 1988 The Hiscock site: A rich late Quaternary locality in western New York State. In *Late Pleistocene and Early Holocene Paleoecology and Archaeology of the Eastern Great Lakes Region*, edited by R. S. Laub, N. G. Miller, and D. W. Steadman, pp. 135–48. New York State Museum Bulletin 481. Buffalo, New York.
- Leonhardy, F. C., editor 1966 *Domebo: A Paleo-Indian mammoth kill in the Prairie-Plains*. Lawton, Oklahoma, Contributions of the Museum of the Great Plains 1.
- MacDonald, G. F. 1985 *Debert: A Paleo-Indian Site in Central Nova Scotia*. Persimmon Press, Buffalo, NY
- McAvoy, J. D., and L. D. McAvoy 1997 *Archaeological Investigations of Site 44SX202, Cactus Hill, Sussex County, Virginia*. Virginia Department of Historic Resources Research Report No. 8.
- McAvoy, J. D., J. C. Baker, J. K. Feathers, R. L. Hodges, L. J. McWeeney and T. R. Whyte 2000 *Summary of Research at the Cactus Hill Archaeological Site, 44SX202, Sussex County, Virginia*. Report submitted to the National Geographic Society in compliance with stipulations of grant #6345-98.
- McNett, C. W., Jr. 1985 *Shawnee Minisink: A Stratified Paleoindian-Archaic Site in the Upper Delaware Valley of Pennsylvania*. Academic Press, New York.
- McWeeney, L. J. 1994 *Archaeological Settlement Patterns and Vegetation Dynamics in Southern New England in the Late Quaternary*. Unpublished Ph.D. dissertation, Yale University, New Haven, CT.
- Mehring, P. J., Jr., and F. F. Foit, Jr. 1990 Volcanic ash dating of the Clovis cache at East Wenatchee, Washington. *National Geographic Research* 6:495–503.
- Meltzer, D. J. 1988 Late Pleistocene human adaptations in eastern North America. *Journal of World Prehistory* 2:1–53.
- 2009 *First Peoples in a New World: Colonizing Ice Age America*. University of California Press, Berkeley.
- Meltzer, D. J., and V. T. Holliday 2010 Would North American Paleoindians have noticed Younger Dryas climate changes? *Journal of World Prehistory* 23:1–41.
- Miller, D. S. 2010 *Site Formation Processes in an Upland Paleoindian Site: The 2005-2007 Topper Firebreak Excavations*. Occasional Paper No. 1 of the Southeastern Paleoamerican Survey. South Carolina Institute of Archaeology and Anthropology, Columbia.
- Miller, D. S. and J. A. M. Gingerich 2013a Paleoindian chronology and the eastern fluted point tradition. In *The Eastern Fluted Point Tradition*, edited by J. A. M. Gingerich, pp. 9–37. University of Utah Press, Salt Lake City.
- 2013b Regional variation in the terminal Pleistocene and early Holocene radiocarbon record of eastern North America. *Quaternary Research*, in press.
- Moeller, R. W. 1980 *6LF21: A Paleoindian Site in Western Connecticut*. American Indian Archaeological Institute.
- Morrow, J. E. in press Clovis-era point production in the mid-continent. In *Clovis: Current Perspectives on Chronology, Technology, and Adaptations*, edited by T. Jennings and A. Smallwood. Texas A&M University Press, College Station.
- Morrow, J. E., and T. A. Morrow 1999 Geographic variation in fluted projectile points: A hemispheric perspective. *American Antiquity* 64:215–30.
- Morrow, J. E., and S. J. Fiedel 2006 New radiocarbon dates for the Clovis component of the Anzick site, Park County Montana. In *Paleoindian Archaeology: A Hemispheric Perspective*, edited by J. E. Morrow and G. C. I. Gnecco, pp. 123–38. University Press of Florida.
- Morrow, J. E., S. J. Fiedel, D. L. Johnson, M. Kornfeld, M. Rutledge, W. R. Wood 2012 Pre-Clovis in Texas? A critical assessment of the “Buttermilk Creek Complex.” *Journal of Archaeological Science* 39:3677–82
- Mosimann, J. E., and P. S. Martin 1975 Simulating overkill by Paleoindians. *American Scientist* 63:305–13.
- Overstreet, D. F. 2006 Late-Glacial, ice-marginal adaptation in Southeastern Wisconsin. In *Paleoamerican Origins: Beyond Clovis*, edited by R. Bonnicksen, B. Lepper, D. Stanford, and M. Waters, pp. 183–95. Center for the Study of the First Americans, College Station.
- Overstreet, D. F., and M. F. Kolb 2003 Geoarchaeological context for late Pleistocene archaeological sites with human-modified woolly mammoth remains in southeastern Wisconsin, U.S.A. *Geoarchaeology* 18:91–114.
- Pinson, A. O. 2008 Geoarchaeological context of Clovis and Western Stemmed tradition sites in Dietz Basin, Lake County, Oregon. *Geoarchaeology* 23:63–106.
- 2011 The Clovis occupation of the Dietz site (35LK1529), Lake County, Oregon, and its bearing on the adaptive diversity of Clovis foragers. *American Antiquity* 76:285–313.
- Poinar, H., S. Fiedel, C. E. King, A. M. Devault, K. Bos, M. Kuch, and R. Debryne 2009 Comment on “DNA from pre-Clovis human coprolites in Oregon, North America.” *Science* 325:148. [DOI:10.1126/science.1168182]
- Prasciunas, M. M. 2008 *Clovis First? An Analysis of Space, Time, and Technology*. Unpublished Ph.D. dissertation, University of Wyoming, Laramie.
- 2011 Mapping Clovis: Projectile points, behavior, and bias. *American Antiquity* 76:107–26.
- 2013 Minimum analytical flaked stone nodules and Clovis technological organization at the Sheaman site, Wyoming. In *Lithics in the West: Using Lithic Analysis to Solve Archaeological Problems in Western North America*, edited by D. H. MacDonald, W. Andrefsky, Jr., and P.-L. Yu, under review.
- Redmond, B. G., and K. B. Tankersley 2005 Evidence of early Paleoindian bone modification and use at the Sheriden Cave site (33WY252), Wyandot county, Ohio. *American Antiquity* 70:503–26.
- Rhode, D., T. Goebel, K. E. Graf, B. S. Hockett, K. T. Jones, D. B. Madson, C. G. Oviatt, and D. N., Schmitt 2005 Latest Pleistocene-early Holocene human occupation and paleoenvironmental change in the Bonneville Basin, Utah-Nevada. Geological Society of America, Geological Society of America Field Trip Guide 6, 1–20.

- Robinson, B., J. Ort, W. Eldridge, A. Burke, and B. Pelletier 2009 Paleoindian aggregation and social context at Bull Brook. *American Antiquity* 74:423–47.
- Sanchez de Carpenter, M. G. 2010 Los Primeros Mexicanos: Late Pleistocene/Early Holocene Archaeology of Sonora, Mexico. Unpublished Ph.D. dissertation, University of Arizona, Tucson.
- Sanchez, G., and J. Carpenter 2012 Paleoindian and archaic traditions in Sonora, Mexico. In *From the Pleistocene to the Holocene: Human Organization and Cultural Transformations in Prehistoric North America*, edited by C. B. Bousman and B. J. Vierra, pp. 125–47. Texas A&M University Press, College Station.
- Sanders, T. N. 1990 *Adams: The Manufacturing of Flaked Stone Tools at a Paleoindian Site in Western Kentucky*. Persimmon, Buffalo, New York.
- Sellards, E. H. 1938 Artifacts associated with fossil elephant. *Geological Society of America Bulletin* 49:999–1010.
- Sellards, E. H. 1952 *Early Man in America*. University of Texas Press, Austin.
- Smallwood, A. M., D. S. Miller, and D. Sain 2013 Topper site, South Carolina: An overview of the Clovis lithic assemblage from the Topper hillside. In *The Eastern Fluted Point Tradition*, edited by J. A. M. Gingerich, pp. 280–98. University of Utah Press, Salt Lake City.
- Smith, G. M., and J. Kielhofer 2011 Through the High Rock and beyond: Placing the Last Supper Cave and Parman Paleoindian lithic assemblages into a regional context. *Journal of Archaeological Science* 38:3568–76.
- Soday, F. J. 1954 The Quad site: A Paleo-Indian village in north Alabama. *Tennessee Archaeologist* 10:1–20.
- Speiss, A. 1998 The Paleoindian occupation in New England-Maritimes region: Beyond cultural ecology. *Archaeology of Eastern North America* 26:201–64.
- Speiss, A., and D. Wilson 1987 *Michaud: A Paleoindian Site in the New England Maritimes Region*. Occasional Paper in Maine Archaeology 6. The Maine Historic Preservation Commission and the Maine Archaeological Society, Augusta.
- Steele, J., T. Sluckin, D. Denholm, and C. Gamble 1998 Modeling Paleoindian dispersals. *World Archaeology* 30:286–305.
- Stright, M. J., E. M. Lear, and J. F. Bennett 1999 Spatial Data Analysis of Artifacts Redeposited by Coastal Erosion: A Case Study of McFaddin Beach, Texas. OCS Study, MMS 99-0068. U.S. Department of the Interior, Minerals Management Service, Herndon, Virginia.
- Surovell, T. A. 2000 Early Paleoindian women, children, mobility, and fertility. *American Antiquity* 65(3):493–508.
- Surovell, T., and N. Waguespack 2008 How many elephant kills are 14? Clovis mammoth and mastodon kills in context. *Quaternary International* 191:82–97.
- Surovell, T. A., J. Finley, G. M. Smith, P. J. Brantingham, and R. L. Kelly 2009 Correcting temporal frequency distributions for taphonomic bias. *Journal of Archaeological Science* 36:1715–24.
- Tankersley, K. B., S. Vanderlaan, J. D. Holland, and S. Bland 1997 Geochronology of the Arc site: A Paleoindian habitation in the Great Lakes region. *Archaeology of Eastern North America* 25:31–44.
- Tune, J. W. 2013 The Wells Creek site: Results of a reanalysis. In *In the Eastern Fluted Point Tradition*, edited by J. A. M. Gingerich, pp. 148–55. University of Utah Press, Salt Lake City.
- Wagner, D. P., and J. M. McAvoy 2004 Pedoarchaeology of Cactus Hill, a sandy Paleoindian site in southeastern Virginia, U.S.A. *Geoarchaeology* 19:297–322.
- Waters, M. R., and T. W. Stafford, Jr. 2007 Redefining the age of Clovis: Implications for the peopling of the Americas. *Science* 315:1122–26.
- Waters, M. R., T. W. Stafford, Jr., B. G. Redmond, and K. B. Tankersley 2009 The age of the Paleoindian assemblage at Sheriden Cave, Ohio. *American Antiquity* 74:107–11.
- Waters, M. R., C. D. Pevny, and D. L. Carlson 2011a *Clovis Lithic Technology: Investigation of a Stratified Workshop at the Gault Site, Texas*. Texas A&M University Press, College Station.
- Waters, M. R., S. L. Forman, T. A. Jennings, L. C. Nordt, S. G. Driese, J. M. Feinberg, J. L. Keene, J. Halligan, A. Lindquist, J. Pierson, C. T. Hallmark, M. B. Collins, and J. E. Wiederhold 2011b The Buttermilk Creek Complex and the origins of Clovis at the Debra L. Friedkin site, Texas. *Science* 331:1599–1603.
- Wilke, P. J., J. J. Flenniken, and T. L. Ozbun 1991 Clovis technology at the Anzick site, Montana. *Journal of California and Great Basin Anthropology* 13:242–72.
- Williams, A. N. 2012 The use of summed radiocarbon probability distributions in archaeology: A review of methods. *Journal of Archaeological Science* 39(3):578–89.
- Willig, J. A. 1988 Paleo-archaic adaptations and lakeside settlement patterns in the northern Alkali Basin. In *Early Human Occupation in Far Western North America: The Clovis-Archaic interface*, edited by J. Willig, C. M. Aikens, and J. Fagan, pp. 417–82. Nevada State Museum, Anthropological Papers 21.
- Witthoft, J. 1952 A Paleo-Indian site in eastern Pennsylvania: An early hunting culture. *Proceedings of the American Philosophical Society* 96(4). Philadelphia.